

HITPOINT TEL:8862-26013311 FAX:8862-26013898 NO.4 Lane 505, Zhongzheng Rd, Linkou Shiang, Taipei, Taiwan 24445 . R.O.C **PT-2060WQ** (RoHS) DATE:2005.01.24 **1**. Electrical Characteristics **VER** .:0 Resonant Frequency (KHz) 6.0 ±0.5 Operating Voltage (Vp-p/max) 30 Rated Voltage (Vp-p) 5.0 Current Consumption (mA/max) 1.5 at Rated Voltage Sound Pressure Level (dB/min) 90 at 10cm at Rated Voltage 12,000± 30% at 120 Hz Capacitance (pF) Operating Temperature (°C) $-20 \sim +70$ Storage Temperature (°C) $-30 \sim +80$ $350\pm20^{\circ}$ C / within 5sec Manual soldering conditions

PS : Vp-p=1/2duty, square wave

2 . Typical Frequency Response Curve





Housing	ABS 757 UL94HB plastic resin (Color : Black)
Leading Wire	32 AWG
Weight (Gram)	2.2



HITPOINT

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C


4. TESTING METHOD



Temperature:25±2 °C Humidity:45-60%

· Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.





5. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^{\circ}\!\!\!C$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Hotness	After 98 hours of being exposed to +80 ${\mathcal C}$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 ${}^\circ\!\!{}^\circ$ 95%RH	No abnormality
withstanding	environment in actual operation, should be	shall exist
	returned to normal environment for 2 hours, then	
	re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous	No abnormality
	operation. (at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the	No abnormality
withstanding	ground.	shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm	No abnormality
withstanding	amplitude, applied in X, Y and Z directions for 30	shall exist
	minutes each.	

6. PACKAGE METHOD

 $<\!1\!>$ 500pcs per box , Total 10 boxes per carton , total 5000pcs carton; Volume: L*W*H=510*330*300mm

<2> RoHS Mark

