


"Multistrip 10", Self-Adapting Universal Insulation Stripper


patentiert




12 42 195




0,03 - 10,0 mm²




Wire cutter for multiple stranded wire cables up to 10.00 mm²



Steel restrain jaws with cutting edges avoid skidding of the cable



Precise stripping from 0.03 up to 10.0 mm²




Opens automatically once the stripping operation is completed

Article-No.	EAN-Code	Stripping capacities		g
Length mm	Code	mm ²	AWG	
12 42 195	054580	0.03-10.0	32-7	300
12 49 21	057581	spare blades		
12 49 22	057598	spare clamping jaws		
12 49 23	057604	spare length stop		

- ▶ fully automated adjustment to different cross-section depending insulation thicknesses throughout the stripping range from 0.03 - 10.0 mm²
- ▶ the so far common fine adjustment of the tool is no longer necessary due to the unique self-feeding of the cutting depth preventing damage to the conductor
- ▶ the steel-made clamping jaws with integrated cutting edges very often also allow professional stripping of cables with demanding insulating materials like Teflon® and Radox®
- ▶ with wire cutter for copper and aluminium wires, multiple stranded up to 10 mm² and single stranded up to 6 mm²
- ▶ smoothly operating mechanism
- ▶ easily interchangeable screw-on style blades, length stop and cutting-clamping jaws
- ▶ body made of tough fibreglass
- ▶ reinforced plastic with ergonomic soft compound zone on the handle area

KNIPEX special

The cutting edges at the steel clamping jaws (1) firmly restrain the insulated cable and avoid skidding. The stripping blades (2) cut to the correct depth and remove the insulation cleanly without any manual adjustment.



Teflon® is a registered Trademark of E. I. du Pont de Nemours and Company

Radox® is a registered Trademark of Huber & Suhner AG

Self-Adjusting Insulation Stripper



12 62 180



0.2 - 6.0 mm²



Precise stripping from 0.2 up to 6.0 mm²

Article-No.	EAN-Code	Abisolierwerte		g
Length mm	Code	mm ²	AWG	
12 62 180	054573	0.2-6.0	24-10	180
12 69 21	060093	spare blades		

- ▶ compact standard tool at a favourable price for all current cable cross-sections and insulating materials
- ▶ for single, multiple and fine stranded cables of 0.2 up to 6.0 mm² with standard insulation
- ▶ adjusts automatically to the respective cable cross-section, which prevents damage to the conductor
- ▶ high operation comfort thanks to handy shape and low weight
- ▶ narrow head style for use in confined areas
- ▶ with wire cutter for copper and aluminium wires up to 2.5 mm²
- ▶ with adjustable length stop from 6.0 - 18.0 mm for constant stripping length during repetitive work
- ▶ easily exchangeable blades
- ▶ body made of tough, fibreglass reinforced plastic with ergonomic soft plastic gripping zone in the handle



Wire cutter up to 2.5 mm²



Stripping in confined areas